Fine Pitch LED Presentation Video Wall

110" | 138" | 165" | 220"



Super Fine HD Pixel Pitch

All the screen sizes available have a full High Definition resolution and a standard 16:9 aspect ratio. This fine pixel pitch, combined with the advantage of not having any unsightly bezels, make these displays the ultimate in premium presentation video walls.





All-in-One Meeting Room Display

The Fine Pitch LED Presentation Video Wall combines the best quality LED technology on the market with a sophisticated Android based PC. This provides an integrated solution for most cases without the need for messy cables or additional devices.





Powerful Presentation Display

Designed with middle to large sized meeting rooms in mind this is the ultimate presentation tool. Wow attendees as you wirelessly mirror and file share between your devices and the presentation screen. Featuring easy access front ports for connecting your laptop, remote video conferencing and multi-window splicing for maximum user engagement.



Easy installation

Installation of the Fine Pitch LED Presentation Video Wall is quick and easy thanks to its light and compact design. Unlike other LED Video Walls this solution is a complete out-of-the-box display so assembly is much easier than usual. It also comes fully colour celebrated.



Other Features

Adjustable Backlight

The Fine Pitch LED Presentation Video Wall is bright enough for all ambient lighting conditions, but the screen can be adjusted manually to suit user preferences. If your conference or meeting room is quite dark then you can reduce the backlight brightness to improve overall readability.





SMD Technology

SMD (Surface Mounted Diode) LED technology is the optimum form for LED Video Walls. Combining three miniature LEDs of different colours in one unit enables fine pixel pitches with perfect colour uniformity.



Wide Viewing Angle

Thanks to the LED technology these displays provide fantastic image quality with a remarkable viewing angle of 160°.



Advertising Display Functionality

Although it's designed as a presentation solution, this LED Video Wall can also be used as an indoor LED advertising display thanks to the built in Android PC.



Easy Front Maintenance

Through an intuitive and easy-to-use maintenance system the LED Video Wall can be serviced from the front of the display. The LED modules can be removed quickly and efficiently for convenient maintenance.





Lightweight and Slim Design

Despite their large size the Fine Pitch LED Presentation Video Wall has a compact design with a slim depth of just 38.5mm* and a lightweight cabinet for reduced stress on the mounting wall.



*Excludes 220" Model

Easy Access Front Ports and Controls

The Fine Pitch LED Video Wall has a variety of easy to access controls and ports on the front of the display including a HDMI and $2\,x$ USB ports.




Optional Floor Stand

If you do not have the desired wall space available an optional floor stand can be included to mount the LED Video Wall on.













Specification Table

		110 Inch	138 inch	165 inch	220 inch	
	Pixel Pitch (mm)	1.2	1.5	1.9	2.5	
	Resolution	1920×1080				
LED	Display Area (mm)	2440x1373	3050x1716	3660x2059	4880x2745	
	Aspect Ratio	16:9				
	Brightness (cd/m²)	100-	100~500 100~600			
	Refresh Rate (Hz)		1920~3840			
	Grayscale	14 Bit				
	Viewing Angle	160°				
	Contrast Ratio	5000:1				
	Maintenance	Front Access Only				
AV Inputs	Front Inputs	USB x 2, HDMI				
Power	Input Voltage	AC110~240V (50Hz~60Hz)				
	Average Power Consumption	850W	1,020W	1,040W	1,740W	
	Maximum Power Consumption	2,500W	3,000W	3,060W	5,120W	
Mechanical	Unit Size (WxHxD mm)	2453x1503x38.5	3063x1846x38.5	3673x2189x38.5	4893x2875x60	
	Package Size (WxHxD mm)	TBC	TBC	TBC	TBC	
	VESA Holes (mm)	400x400/400x600	600x600/600x800	800x600	800x600	
	Net Weight (kg)	134	201	282	562.5	
	Gross Weight (kg)	TBC	TBC	TBC	TBC	
Environmental	Operating Temperature		-10°C to 40 °C			
	Operating Humidity	10% to 85%				
	IP Rating	IP30				
Computer	CPU	ARM Cortex A72, Cortex A53, 2.0GHz				
	GPU		ARM Mali-T860 MP4			
	Memory	DDR3 2G, 4G				
	Storage	eMMC 8G				
	LAN	100M/1000M				
	Wi-Fi		802.11ac			
	OS		Android 7.1			
Accessories	Included		TBC			
	Optional		Floor Stand			
Warranty	Warranty Period		3 Year Warranty			
	Technical Support	Lifetime				

