



# SMART Board® MX Pro series

Interactive displays with all the essential tools teams need at a great value, designed and built to provide ROI for years to come.

65" | 75" | 86" -

### Write effortlessly

HyPr Touch™ with Advanced IR provides more than twice the accuracy of traditional infrared technology for an intuitive, natural writing experience.

### iQ embedded computing

Switch with a tap from showing a video to writing on the digital whiteboard to surfing the internet – to keep ideas flowing.

#### **Commercial grade**

MX Pro series is rated for 50,000 hours of reliable use and SMART's Accelerated Life Testing ensures less downtime and longer life.



## Unparalleled Collaborative Experience

Today's workflows are about going beyond communicating to collaborating. SMART has spent 30 years designing hardware and software solutions that work together to create interactive environments.





## Multiple users, tools and colors at the same time

**Simultaneous Tool Differentiation** frees multiple colleagues to write, erase and move notes at the same time. **Object awareness**™ detection automatically makes pens write, fingers move and palms erase.

## Write and save notes directly into applications

**SMART Ink®** software lets teams write over videos and into **PDFs, Microsoft Office® files** and websites, then save notes in almost any file type. Convert notes to text and access spotlight, magnifier and screen shade tools.

## Built to use. Built to last.

Durable and commercial-grade, SMART Board Pro displays have received many safety, regulatory and environmental certifications, giving you peace of mind that they adhere to government or other regulatory requirements.

- 4K 4K Ultra HD resolution
- Accelerated Life Testing
- LED rated for 50,000 hours
- Fully heat-tempered, anti-glare
- Silktouch™ frictionless surface

- ENERGY STAR® certification
- Conflict-free materials and sourcing
- Regulatory and environmental certifications
- SMART Assure warranty\*





## Do More in Your Workspaces

Together with **SMART collaboration software** and **flexible computing** options, SMART Board Pro displays enable limitless collaboration.

**SMART collaboration software** is designed to give teams endless ways to brainstorm, innovate and share content.



With one-touch meeting launch, a connected whiteboard, wireless screen sharing and PDF summaries, SMART TeamWorks is your end-to-end collaboration solution.

## SMART Meeting Pro® software

Capture ideas in the Unbound Workspace that expands as colleagues add images, files, links and notes – even over multiple displays and meetings.

**Flexible computing** options put everything teams need to seamlessly access and transition through a variety of content in one place.



## iQ Android™ experience

iQ provides teams one-touch access to collaboration tools including a whiteboard, web browser, apps library and native, wireless screen sharing



## Windows® experience

Give your team access to Microsoft Office files and all their applications on a full Windows 10 Pro computer right at the display – available with a variety of Intel® Core $^{\text{w}}$  processor options.

## Get the most out of your SMART solution

We're with you every step of the way. Our support services, training and technical support resources provide peace of mind that your technology investment will provide results.



#### **Support Services**

Maximize uptime and protect your investment with SMART's flexible, comprehensive business service plans to meet your unique support needs.



#### Training

From quick-reference guides to video tutorials, SMART offers free training resources to ensure quick adoption of your technology solutions.



#### **Technical Support**

So much more than downloads and guides, SMART support has tons of resources to get you started and a thriving community of users to tap into.

Authorized reseller:

SMART Technologies smarttech.com/contact



	MX265 Pro	MX275 Pro	MX286 Pro
SOFTWARE			
SMART Meeting Pro	Included with purchase of a SMART Pro Service	Included with purchase of a SMART Pro Service	Included with purchase of a SMART Pro Service
1 Room license	Plan	Plan	Plan
SMART TeamWorks 1 Room edition	Subscription included with purchase of a SMART Pro Service Plan	Subscription included with purchase of a SMART Pro Service Plan	Subscription included with purchase of a SMART Pro Service Plan
SMART Ink	Included	Included	Included
iQ apps and features	Customizable home screen	Customizable home screen	Customizable home screen
	Live input preview Digital whiteboard	Live input preview Digital whiteboard	Live input preview Digital whiteboard
	Web browser	Web browser	Web browser
	Native and app-based screen sharing File and app libraries	Native and app-based screen sharing File and app libraries	Native and app-based screen sharing File and app libraries
	Automatic over the air (OTA) updates	Automatic over the air (OTA) updates	Automatic over the air (OTA) updates
SMART OPS PC with Windows 10 Pro	Optional	Optional	Optional
SMART Remote Management	Subscription included for length of SMART Assure	Subscription included for length of SMART Assure	Subscription included for length of SMART Assure
	warranty term	warranty term	warranty term
DISPLAY	05"	75.	0.0
Screen size (diagonal)	65"	75"	86"
Resolution	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz
Lifespan	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade — 50,000 hours  Grade A
LCD quality	Grade A 400 cd/m <sup>2</sup>	Grade A 400 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>
Brightness			
Response time	6 ms	8 ms Fully heat-tempered, anti-glare	8 ms
Glass Sensors	Fully heat-tempered, anti-glare  Ambient light	Ambient light	Fully heat-tempered, anti-glare  Ambient light
Speakers	15 W front-facing speakers (×2)	15 W front-facing speakers (×2)	15 W front-facing speakers (×2)
Remote control	/ J	/ J	J
INTERACTIVE EXPERIENCE	·	•	•
Touch technology	HyPr Touch™ with Advanced IR	HyPr Touch with Advanced IR	HyPr Touch with Advanced IR
Simultaneous Tool Differentiation	√ Visit Fouch with Advanced in	J	J
Object awareness	,		· •
Silktouch	,	,	,
Simultaneous touch points	20 – Windows & Mac	20 – Windows & Mac	20 – Windows & Mac
Simulation states points	10 – Chrome OS™	10 – Chrome OS	10 – Chrome OS
Tools included	2 pens	2 pens	2 pens
IQ EXPERIENCE			
Operating system	Android 8 Oreo	Android 8 Oreo	Android 8 Oreo
Memory	4 GB	4 GB	4 GB
Storage	32 GB	32 GB	32 GB
NETWORK CONNECTIVITY			
Wired	RJ45 (×2) 1000baseT	RJ45 (×2) 1000baseT	RJ45 (×2) 1000baseT
Wi-Fi	IEEE 802.11a/b/g/n/ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11a/b/g/n/ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11a/b/g/n/ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)
Bluetooth	4.2 dual mode	4.2 dual mode	4.2 dual mode
INPUTS/OUTPUTS	4.2 dual filode	4.2 dual mode	4.2 dual mode
Front control panel	Power, home, input select, screen shade, freeze	Power, home, input select, screen shade, freeze	Power, home, input select, screen shade, freeze
Tront control panel	frame, volume	frame, volume	frame, volume
Front connector panel	HDMI 2.0 in (HDCP 2.2), USB-A (×2), USB-B (touch)	HDMI 2.0 in (HDCP 2.2), USB-A (×2), USB-B (touch)	HDMI 2.0 in (HDCP 2.2), USB-A (×2), USB-B (touch)
Connector panels	HDMI 2.0 in x2 (HDCP 1.4 and 2.2), HDMI 2.0 out, USB-B 3.0 x3 (touch), USB-A 3.0 x1, USB-A 2.0 x1,	HDMI 2.0 in x2 (HDCP 1.4 and 2.2), HDMI 2.0 out, USB-B 3.0 x3 (touch), USB-A 3.0 x1, USB-A 2.0 x1,	HDMI 2.0 in x2 (HDCP 1.4 and 2.2), HDMI 2.0 out, USB-B 3.0 x3 (touch), USB-A 3.0 x1, USB-A 2.0 x1,
	VGA, RS-232 in/out, RJ45 x2, S/PDIF out, Stereo	VGA, RS-232 in/out, RJ45 x2, S/PDIF out, Stereo	VGA, RS-232 in/out, RJ45 x2, S/PDIF out, Stereo
	3.5 mm in/out	3.5 mm in/out	3.5 mm in/out
OPS slot	✓	<b>√</b>	✓
POWER			
Power consumption (display only)	<0.5 W standby, 109 W normal	<0.5 W standby, 120 W normal	<0.5 W standby, 189 W normal
ENERGY STAR certified	✓	✓	✓
INSTALLATION			
Dimensions	59 11/16" × 36 11/16" × 3 3/4" (151 6 cm × 93 2 cm × 9 5 cm))	68 13/16" × 42" × 4 1/4" (174 6 cm × 106 4 cm × 10 8 cm)	78 3/4" × 47 5/8" × 4 9/16" (200 cm × 121 cm × 11 6 cm
	(151.6 cm × 93.2 cm × 9.5 cm))	(174.6 cm × 106.4 cm × 10.8 cm)	(200 cm × 121 cm × 11.6 cm
Weight	(151.6 cm × 93.2 cm × 9.5 cm)) 102 lb. (46.1 kg)	(174.6 cm × 106.4 cm × 10.8 cm) 142 lb. (64.3 kg)	(200 cm × 121 cm × 11.6 cm 181 lb. (82.3 kg)
	(151.6 cm × 93.2 cm × 9.5 cm))	(174.6 cm × 106.4 cm × 10.8 cm)	(200 cm × 121 cm × 11.6 cm
Weight VESA mounting points	(151.6 cm × 93.2 cm × 9.5 cm)) 102 lb. (46.1 kg) 600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm) 142 lb. (64.3 kg) 600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm 181 lb. (82.3 kg) 700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket	(151.6 cm × 93.2 cm × 9.5 cm)) 102 lb. (46.1 kg) 600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm) 142 lb. (64.3 kg) 600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm 181 lb. (82.3 kg) 700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket CERTIFICATIONS AND COMPLIANCE	(151.6 cm × 93.2 cm × 9.5 cm)) 102 lb. (46.1 kg) 600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm) 142 lb. (64.3 kg) 600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm 181 lb. (82.3 kg) 700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket	(151.6 cm × 93.2 cm × 9.5 cm)) 102 lb. (46.1 kg) 600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm) 142 lb. (64.3 kg) 600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm 181 lb. (82.3 kg) 700 mm × 400 mm ✓ UL, FCC, ISED, UL, CONEG Packaging,
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket CERTIFICATIONS AND COMPLIANCE U.S. / Canada	(151.6 cm × 93.2 cm × 9.5 cm))  102 lb. (46.1 kg)  600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm)  142 lb. (64.3 kg)  600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm  181 lb. (82.3 kg)  700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket CERTIFICATIONS AND COMPLIANCE U.S. / Canada EU / EEA / EFTA / EAEU	(151.6 cm × 93.2 cm × 9.5 cm))  102 lb. (46.1 kg)  600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm)  142 lb. (64.3 kg)  600 mm × 400 mm     UL, FCC, ISED, UL, CONEG Packaging, Proposition 65, Conflict Minerals, ENERGY STAR  CE - LVD, RED, REACH, RoHS, Battery, WEEE, Packaging, EAC	(200 cm × 121 cm × 11.6 cm  181 lb. (82.3 kg)  700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket CERTIFICATIONS AND COMPLIANCE U.S. / Canada EU / EEA / EFTA / EAEU Australia / New Zealand	(151.6 cm × 93.2 cm × 9.5 cm))  102 lb. (46.1 kg) 600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm)  142 lb. (64.3 kg)  600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm  181 lb. (82.3 kg)  700 mm × 400 mm
Weight VESA mounting points Mini-VESA mount point for NUC Wall mount bracket CERTIFICATIONS AND COMPLIANCE U.S. / Canada EU / EEA / EFTA / EAEU Australia / New Zealand Other	(151.6 cm × 93.2 cm × 9.5 cm))  102 lb. (46.1 kg)  600 mm × 400 mm	(174.6 cm × 106.4 cm × 10.8 cm)  142 lb. (64.3 kg)  600 mm × 400 mm	(200 cm × 121 cm × 11.6 cm  181 lb. (82.3 kg)  700 mm × 400 mm    UL, FCC, ISED, UL, CONEG Packaging, Proposition 65, Conflict Minerals, ENERGY STAR  CE - LVD, RED, REACH, ROHS, Battery, WEEE, Packaging, EAC  RCM  China: CCC, SRRC, CECP; Taiwan: BSMI, NCC; ICASA; Saudi Arabia: CITC, SASO; UAE: TRA, ROHS