

INTERACTIVE FLAT PANEL DISPLAYS

3 Series - 3651RK/ 3751RK/ 3861RK 5 Series - 5651RK/ 5751RK/ 5861RK










ENHANCE EVERY INTERACTIVE EXPERIENCE WITH AN OPTOMA MULTI-TOUCH DISPLAY



Optoma interactive flat panel displays

Boasting 4K UHD resolution and up to 20-point multitouch capabilities, Optoma interactive flat panel displays (IFPDs) bring lessons and idea sharing to life in both education and business settings.

Available in 65", 75" and 86" sizes and featuring antiglare / scratch resistant glass, low blue light filter (TUV certified low blue light content) and a wide viewing angle, they reduce eye strain while providing crisp and vivid visuals to every seat in the room.




Easier on your eyes

Optoma interactive displays feature a low blue light filter – certified by independent world leaders in product testing, TÜV Rheinland. This certifies that Optoma IFPDs produce no hazardous UV light and emit minimal blue light (which can cause eyestrain and tiredness).

Easy file management

With powerful functions and intuitive interface, Optoma file manager allows users to manage files and folders. Users can also access cloud drives, browse, create, rename, copy, move and delete files.



Intuitive whiteboard annotation

Creative sharing is easy with a ready-to-use whiteboard featuring built-in annotation tools that encourage collaboration.

Stay connected

In addition to wireless sharing, numerous connectivity options are available including 3x HDMI, 1x VGA, and for additional flexibility an OPS slot. It also features an HDMI output which is useful for connecting an external display.

EXPERIENCE ADDED FEATURES WITH THE 5 SERIES PREMIUM INTERACTIVE DISPLAY RANGE

Optoma quick draw pen

Be ready to start the lesson in seconds with the Optoma quick draw pen. Just take the pen from the holder and the whiteboard application will automatically be activated, saving you time and delivering a familiar feel of using a marker.



Realistic writing experience

The 5 Series comes with a double tipped pen to help you switch quickly from precise lines to broader sweeps. In addition, the 1mm air gap screen feature ensures this is one of the most realistic writing experiences yet.



Slim bezel

The slim bezel design means that even when not in use, the 5 Series is an attractive centre piece. When in use, you have a stylish frame to share your chosen content, adding a touch of elegance to a highly functional device.



Dual App mode

View two apps, on your device, at the same time. Easily copy and paste text from one app to another, or watch a video while you scan Office documents, you can do that easily without the need for an OPS.





BUILT FOR THE BEST COLLABORATIVE EXPERIENCE

Joan meeting widget

With the number of meetings increasing, office space has become the second-biggest expense for organisations. And when these are poorly planned or managed, the effects are reflected in poor office workforce satisfaction and lack of productivity.

Optoma has partnered with Joan, a leading meeting room software provider, to deliver a free of charge meeting room solution on Optoma IFPDs.

Quickly find and schedule meeting rooms, huddle spaces and workstations. Book meetings on the spot or through your existing desktop calendar and mobile phone.



Connect a webcam

Optoma's range of Creative Touch interactive displays are perfectly suited to the ever changing educational and business needs.

You can connect practically any webcam giving you the ability to work together from remote locations. When combined with Optoma software, they provide the ultimate collaboration experience.





SOCIAL DISTANCING MADE EASY - CONNECT ANYWHERE WITH TAPCAST

Wireless content sharing

Wirelessly display and share content on a big screen without any additional hardware using the Optoma TapCastTM app. You can easily mirror your screen or wirelessly cast documents, images or videos stored on your PC, tablet and smart phone at the touch of a button. Bringing your own device has never been easier.





Operating system	Available version
Windows	Windows 7/8/10
Mac	OSX 10.8 or later
iPhone	IOS 9.0 or later
Android	Android 5.0 or later
Chrome book	Chrome OS 65 or later

Multi to 1 feature

- Stream content from up to 4 devices without cables
- Only requires an App / Windows / Mac software

Simple content sharing

- Only TapCast pro required
- Recent update main device can be a mirrored screen or extended



3 SERIES SPECIFICATION

MODEL	65" 4K	75" 4K	86" 4K
	3651RK	3751RK	3861RK
DISPLAY			
Size	65"	75"	86"
Aspect ratio		16:9	
Resolution	3	3840 x 2160 (4k UHE	0)
Back light unit		Direct type LED	
Response time (typ.)		8ms	
Refreshing frequency		60Hz	
Display colours		1.07 B (10bit)	
Brightness		370 cd/m2 (typ.)	
Dynamic contrast ratio		4000:1	
View angle		178°	
Life time		50,000 hr	
Ambient light sensor		Yes	
Pen holder		Not available	
AUDIO			
Speaker type		Built-in speaker	
Output power		15W x2	
CONNECTIVITY			
HDMLIN 2.0	3		
HDMI Output 2.0		1	
VGA IN		1	
PC- Audio IN		1	
Coaxial Output (SPDIF)		1	
AUDIO OUT	1		
USB 2.0	4 (Android*1, public*3)		
USB 3.0	4 (Altarola 1, public 3)		
USB Touch output	4		
DP IN 1.2	1		
RS232	1		
LAN(RJ45)	2 (IN&OUT)		
Network	10/100Mbps		
TOUCH SYSTEM			
Sensing type		Advanced Infrared	
System	Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome		
Touch point		20 points touch	
Touch tool	Finger, Passive infrared pen		
Writing point	10 points writing		
Response time	≤10ms		
Accuracy	<1.5mm (over 90% Area)		
Writing height	≤3mm		
Writing double colors with double pens simultaneously	Yes		
Minimum object size	3mm		
Surface hardness	Toughened glass with level 7 of Mohs standard		

MODEL	65" 4K	75" 4K	86" 4K
	3651RK	3751RK	3861RK
Glass	Ant	i glare + Anti finger ı	orint
Air gap		4mm	
ANDROID SYSTEM			
System Version		Android 8.0	
CPU	Mstar 848 (E	Dual-core A73 and d	ual-core A53)
GPU		Mali G51*2	
RAM		3GB	
ROM		16G	
Wifi dongle	Wifi EF	P-AC1602 optional 2	.4G/5G
Android OSD		1080p	
POWER			
Power requirements	10	0-240V~ 50/60Hz 3	.5A
Average Power consumption	108.7W	142.9W	179.3W
Max power consumption	250W	350W	450W
Standby power		<0.5W	
PHYSICAL SPECIFICATION	ONS		
Dimension L x H x D (mm)	1546 × 943 × 95	1770 x 1071 x 109	2019 x 1209 x 116
Dimension (package) L x H x D (mm)	1670 x 1056 × 221	1894 × 1193 × 247	2170 × 1345 × 275
Net weight (kg)	45	57	73
Gross weight (kg)	57	71	90
VESA mount (mm)	600 x 400	600 x 400	800 x 400
Bezel size (top/left/right)		27mm	
ACCESSORIES			
Wall mount		OWMFP01 Optiona	l
mini PC bracket	Optional (included in wall mount OWMFP01)		
Stand	ST01 Optional (Requires OWMFP01)		
ENVIRONMENTAL COND	DITIONS		
Operating temperature		0°C - 40°C	
Operation humidity	20% - 80% RH		
Storage temperature	-20°C - 60°C		
Storage humidity	20% - 90% RH		
APPS AND SOFTWARE			
Optoma Whiteboard (team share)	✓	✓	✓
Optoma file manager (w/ cloud storage)	✓	✓	✓
TapCast Pro	✓	✓	✓
OfficeViewer	✓	✓	\checkmark
Low blue light	✓	✓	✓
Flicker free	✓	✓	✓
Dual app mode	✓	✓	✓

OPTIONAL OPS SLOT-IN PC MODULE

Model	OPS2-i5	OPS2-i7	
CPU	Intel® Core i5 8250U	Intel® Core i7 8550U	
RAM	8GB DDR4		
Storage	128GB SSD	256GB SSD	
Graphics	Intel© UHD Graphics 620		
Audio	Integrated High-Definition Audio		
Networking	10/100/1000Mbps		
WIFI	802.11 a/b/g/n/ac 2.4 / 5 GHz		
Bluetooth	Bluetooth 4.2		
OS compatibility	Windows 10 (OS must be purchased seperately)		
USB 2.0	2		
USB 3.0	2		
USB Type-C	1		
Audio out	1 (3.5mm)		
Microphone in	1 (3.5mm)		
HDMI out	1 (4K UHD, 30 Hz) (front)		

EXTERIOR APPEARANCE





PC Module OPS2-i5/OPS2-i7

OPTIONAL ACCESSORIES



5 SERIES SPECIFICATION

MODEL	65" 4K	75" 4K	86" 4
	5651RK	5751RK	5861Rk
DISPLAY			
Size	65"	75"	86"
Aspect ratio		16:9	
Resolution	3	3840 x 2160 (4k UHD)	
Back light unit		Direct type LED	
Response time (typ.)	8ms		
Refreshing frequency	60Hz		
Display colours	1.07 B (10bit)		
Brightness	370 cd/m2 (typ.)		
Dynamic contrast ratio		4000:1	
View angle		178°	
Life time		50,000 hr	
Ambient light sensor		Yes	
Pen holder		Yes	
AUDIO			
Speaker type		Built-in speaker	
Output power		16W x2	
CONNECTIVITY			
HDMLIN 2.0		3	
HDMI Output 2.0		1	
VGA IN		1	
PC- Audio IN	1		
Coaxial Output (SPDIF)	1		
AUDIO OUT	1		
USB 2.0	3 (incl	uding 2 USB ports in	front)
USB 3.0	0 (11101	3	11 0111.9
USB Touch output		2	
RS232	1		
LAN(RJ45)	1		
Network		10/100/1000Mbps	
TOUCH SYSTEM		10/100/1000/1000	
Sensing type		Advanced Infrared	
System	Windows 10/Windows 8/Windows 7/Windows 2 Linux/Mac/Android/Chrome		
Touch point		20 points touch	
Touch tool	Finger, Passive infrared pen		
Writing point	10 points writing		
Response time	≤10ms	<10r	ms
Accuracy	<1.5mm	±1.5r	nm
Writing height		<3mm	
Writing double colors with double pens simultaneously		Yes	
Minimum object size		3mm	
Surface hardness	Toughened a	lass with level 7 of Mo	ohs standard

MODEL	00 111	70 111	00 111
	5651RK	5751RK	5861RK
Glass	Ant	i glare + Anti finger i	orint
Air gap		1mm	
ANDROID SYSTEM			
System Version		Android 8.0	
CPU	QUAD Core H811	1 (ARM Dual core A7	3+Dual core A53)
GPU		QUAD Core Mali G5	1
RAM		4G	
ROM	32G		
Wifi dongle	IFPD Wi-Fi dor	ngle SI01 optional (2	.4G/5G, BT4.0)
Android OSD		4K	
POWER			
Power requirements	10	0-240V~ 50/60Hz 3	.5A
Average Power consumption	121.07W	124.25W	157.91W
Max power consumption	350W	350W	450W
Standby power		<0.5W	
PHYSICAL SPECIFICATION	ONS		
Dimension L x H x D (mm)	1489 × 897 × 86	1710 x 1020 x 86	1957.2 x 1160 x 86
Dimension (package) L x H x D (mm)	1656 x 1050 × 204	1860 × 1170 × 280	2211 × 1370 × 280
Net weight (kg)	40.2	51.75	64.65
Gross weight (kg)	51.3	70.35	95.55
/ESA mount (mm)	600 x 400	800 x 400	800 x 600
Bezel size (top/left/right)	18mm		
ACCESSORIES			
Wall mount		OWMFP01 Optiona	I
mini PC bracket	Optional (included in wall mount OWMFP01)		
Stand	ST01 Optional (Requires OWMFP01)		
ENVIRONMENTAL COND	DITIONS		
Operating temperature		0°C - 40°C	
Operation humidity	10% - 90% RH		
Storage temperature	-20°C - 60°C		
Storage humidity	10% - 90% RH		
APPS AND SOFTWARE			
Optoma Whiteboard (team share)	✓	✓	✓
Auto pen detection then trigger whiteboard	✓	✓	✓
Optoma file manager (w/ cloud storage)	✓	✓	✓
TapCast Pro	✓	✓	✓
OfficeViewer	✓	✓	✓
Low blue light	✓	✓	✓
Flicker free	✓	✓	✓





EXTERIOR APPEARANCE



Dual app mode



OPTIONAL ACCESSORIES



MODEL







WiFl and Bluetooth module

ST01 Trolle

PC Module OPS2-i5/OPS2-i7

